

Date

Name

Client

Project name

Quote#


Type/Quantity

10/11/2022 16:38:06

Specification Sheet

SPIX S PIN 83010

29711 8310

[Weblink](#)


Available colors: DARK GREY (29711 8310 N)

ADJUSTABLE 110°/360°

1 x LED 1-2,6W / CRI>80 / 3000K / 132-304lm

LENS 10°

INCL. 1 x CABLE H05 RN-F 2 x 1 mm² 2m

EXCL. LED POWER SUPPLY 350-900mA-DC

Other CRI or KELVIN on request

LED Technics: Light source: 304 lm // 2 W // 119 lm/W
Luminaire: 3 W

Class: III

Weight: 0.4 KG

Protection level: IP65

Minimum distance: n.a.

Energy Class: F

Options: CBOX
IP68 CONNECTION KIT
IP68 CONNECTOR 3P

Requirements: LED POWER SUPPLY 350 / 500 / 700 / 900mA-DC DIM





















For detailed installation instructions, please consult the manual. [29711_XXX0_HAND.pdf](#)















SPIX S PIN 83010

29711 8310

Related references




LED POWER SUPPLIES

Weblink / Specs sheet  LED POWER CONVERTER 24V-DC TO MULTI CURRENT 48W DIM9 300 90 67 Number of luminaires: 3->15 / 3->15	Weblink / Specs sheet  LED POWER CONVERTER 48V-DC to 350 mA-DC / 15W DIM1 300 48 350 ED1 Number of luminaires: 3->14	Weblink / Specs sheet  LED POWER CONVERTER 48V-DC to 350 mA-DC / 15W DIM5 300 48 350 ED5 Number of luminaires: 3->14	Weblink / Specs sheet  LED POWER CONVERTER 48V-DC to 350 mA-DC / 15W MDL 300 48 350 MDL Number of luminaires: 3->14
Weblink / Specs sheet  LED POWER CONVERTER 48V-DC to 500 mA-DC / 22W WDL 300 48 350 WDL Number of luminaires: 3->14	Weblink / Specs sheet  LED POWER CONVERTER 48V-DC to 500 mA-DC / 22W DIM1 300 48 500 ED1 Number of luminaires: 3->14	Weblink / Specs sheet  LED POWER CONVERTER 48V-DC to 500 mA-DC / 22W DIM5 300 48 500 ED5 Number of luminaires: 3->14	Weblink / Specs sheet  LED POWER CONVERTER 48V-DC to 500 mA-DC / 22W MDL 300 48 500 MDL Number of luminaires: 3->14
Weblink / Specs sheet  LED POWER CONVERTER 48V-DC to 500 mA-DC / 22W WDL 300 48 500 WDL Number of luminaires: 3->14	Weblink / Specs sheet  LED POWER CONVERTER 48V-DC to 700 mA-DC / 25W DIM1 300 48 700 ED1 Number of luminaires: 3->14	Weblink / Specs sheet  LED POWER CONVERTER 48V-DC to 700 mA-DC / 25W DIM5 300 48 700 ED5 Number of luminaires: 3->14	Weblink / Specs sheet  LED POWER CONVERTER 48V-DC to 700 mA-DC / 25W MDL 300 48 700 MDL Number of luminaires: 3->14
Weblink / Specs sheet  LED POWER CONVERTER 48V-DC to 700 mA-DC / 25W WDL 300 48 700 WDL Number of luminaires: 3->14	Weblink / Specs sheet  LED POWER SUPPLY 350mA / 7,35W DIM8 21012 0308 220-240V / 50-60Hz Number of luminaires: 5->7	Weblink / Specs sheet  LED POWER SUPPLY 500mA / 10W DIM8 21012 0318 220-240V / 50-60Hz Number of luminaires: 5->7	Weblink / Specs sheet  LED POWER SUPPLY 700mA / 15W DIM8 21012 0328 220-240V / 50-60Hz Number of luminaires: 5->7
Weblink / Specs sheet  LED POWER SUPPLY MULTI POWER 21012 0010 220-240V / 50-60Hz Number of luminaires: 6->15 / 4->15 / 4->15 / 3->14	Weblink / Specs sheet  LED POWER SUPPLY MULTI POWER 200-350 / 10W DIM8 21012 0258 220-240V / 50-60Hz Number of luminaires: 7->10	Weblink / Specs sheet  LED POWER SUPPLY MULTI POWER 200-350 / 15W DIM8 21012 0268 220-240V / 50-60Hz Number of luminaires: 10->14	Weblink / Specs sheet  LED POWER SUPPLY MULTI POWER 250-900 / 20W DIM8 21012 0298 220-240V / 50-60Hz Number of luminaires: 3->15 / 3->14 / 3->9 / 3->8 / 3->7

Weblink / Specs sheet  LED POWER SUPPLY MULTI POWER 500-700 / 20W DIM8 21012 0278 220-240V / 50-60Hz Number of luminaires: 6->9 / 6->9	Weblink / Specs sheet  LED POWER SUPPLY MULTI POWER 500-700 / 36W DIM8 21012 0288 220-240V / 50-60Hz Number of luminaires: 12->18 / 12->18	Weblink / Specs sheet  LED POWER SUPPLY MULTI POWER DIM1 21012 0021 220-240V / 0/ 50-60Hz Number of luminaires: 4->18 / 4->18 / 4->17 / 4->15	Weblink / Specs sheet  LED POWER SUPPLY MULTI POWER DIM5 21012 0035 220-240V / 0/ 50-60Hz Number of luminaires: 4->18 / 4->18 / 4->16 / 4->14
Weblink / Specs sheet  LED POWER SUPPLY MULTI-POWER COMPACT WDL 21012 005W 220-240V / 0/ 50-60Hz Number of luminaires: 4->18 / 4->18 / 4->17 / 4->14	Weblink / Specs sheet  LED POWER SUPPLY MULTI-POWER DIM5 300 90 68 110-240V / 0/ 50-60Hz Number of luminaires: 2->16(15) / 2->16(10) / 2->16(7)	Weblink / Specs sheet  LED POWER SUPPLY MULTI-POWER DIM6 300 90 61 220-240V / 50-60Hz Number of luminaires: 1->16 / 1->16 / 1->16	Weblink / Specs sheet  LED POWER SUPPLY MULTI-POWER DIM7 300 90 124 110-240V / 0/ 50-60Hz Number of luminaires: 6->17(15) / 2->14(10) / 2->10(7) / 2->7(5)
Weblink / Specs sheet  LED POWER SUPPLY MULTI-POWER DIM7 300 90 64 110-240V / 0/ 50-60Hz Number of luminaires: 4->18(15)/1->17(10)/1->16(7)/1->8(6)/1->7(5)	Weblink / Specs sheet  LED POWER SUPPLY MULTI-POWER DIM9 300 90 63 110-240V / 0/ 50-60Hz Number of luminaires: 1->25(25) / 1->25(25) / 1->25(19) / 1->22(15)	Weblink / Specs sheet  LED POWER SUPPLY MULTI-POWER HV 300 90 135 220-240V / 0/ 50-60Hz Number of luminaires: 17->29 / 12->29 / 10->29 / 10->30 / 10->26	Weblink / Specs sheet  LED POWER SUPPLY MULTI-POWER HV DIM9 300 90 69 110-240V / 0/ 50-60Hz Number of luminaires: 8->39(39) / 1->39(28) / 1->29(19) / 10->26
Weblink / Specs sheet  LED POWER SUPPLY MULTI-POWER MINI DIM5 300 90 125 110-240V / 0/ 50-60Hz Number of luminaires: 4->17(15) / 2->14(10) / 2->9(7)	Weblink / Specs sheet  LED POWER SUPPLY MULTI-POWER WDL 21012 004W 110-240V / 0/ 50-60Hz Number of luminaires: 1->25(25) / 1->25(25) / 1->25(20) / 1->22(14)		

Related references

WATERPROOF CONNECTION PARTS

Weblink / Specs sheet  CBOX 216 12 00	Weblink / Specs sheet  IP68 CONNECTION KIT 216 12 01	Weblink / Specs sheet  IP68 CONNECTOR 3P 216 12 02
--	---	---